Urban Wall



JAPAN CERAMICS

26 Daisy Street
Revesby NSW 2212
P 02 9772 2088
E sales@japanceramics.com.au
japanceramics.com.au

URBAN WALL

JAPAN CERAMICS
26 Daisy Street
Revesby NSW 2212
P 02 9772 2088
E sales@japanceramics.com.au
japanceramics.com.au


COLOURS, FORMATS & FINISHES

GLOSS	White	Light Taupe	Light Grey	Black
75 x 300mm	●	●	●	●

MATT				
75 x 300mm	●	●	●	●

FINISH: **GLOSS** | CATEGORY: CERAMIC WALL TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V1
FINISH: **MATT** | CATEGORY: CERAMIC WALL TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V1





75 x 300mm
UBWWH7530 (gloss wall)
UBWWH7530M (matt wall)



75 x 300mm
UBWLT7530 (gloss wall)
UBWLT7530M (matt wall)

JAPAN CERAMICS





75 x 300mm
UBWLG7530 (gloss wall)
UBWLG7530M (matt wall)






75 x 300mm
UBWBK7530 (gloss wall)
UBWBK7530M (matt wall)

JAPAN CERAMICS

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
Water absorption	ISO 10545-3	> 10%	16%	Full range
Determination of dimensions	ISO 10545-2	Length and width ± .50% Thickness ± 10.00% Edge straightness ± 0.3% Surface flatness ± 0.5%	Length and width ± .02% Thickness ± 10.00% Edge straightness ± 0.3% Surface flatness ± 0.5%	Full range
Breaking strength	ISO 10545-4	≥ 200 N	522 N	Full range
Modulus of rupture	ISO 10545-4	≥ 15 Mpa	19 Mpa	Full range
Abrasion resistance	ISO 10545-6	As reported	Class 3 @ 750 revolutions	Full range
Chemical resistance	ISO 10545-13	Minimum GB	GLA, GA	Full range
Stain resistance	ISO 10545-14	Minimum class 3	Class 5	Full range
Origin	N/A	N/A	China	Full range
Shade variation	N/A	N/A	V1	Full range



JAPAN CERAMICS

Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
75 x 300	Gloss Matt	50	44.44	14.50kg	90.00	80



The data and information contained in these specification sheets are indicative only unless stated otherwise. As Japan Ceramics cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

JAPAN CERAMICS