Glace




JAPAN CERAMICS

26 Daisy Street
Revesby NSW 2212
P 02 9772 2088
E sales@japanceramics.com.au
japanceramics.com.au

GLACE

26 Daisy Street
Revesby NSW 2212
P 02 9772 2088
E sales@japanceramics.com.au
japanceramics.com.au

COLOURS, FORMATS & FINISHES



Gloss	Bianco	Mastice	Avio	Muschio	Turchese	Blu Notte
75 x 200mm	●	●	●	●	●	●
75 x 200mm 3D	●	●	●	●	●	●

FINISH: **GLOSS** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2







75x200mm Linear
GLABI752-3D (gloss wall)



75x200mm
GLABI752 (gloss wall)





75x200mm Linear
GLAMA752-3D (gloss wall)



75x200mm
GLAMA752 (gloss wall)

JAPAN CERAMICS





75x200mm Linear
GLAAV752-3D (gloss wall)



75x200mm
GLAAV752 (gloss wall)





75x200mm Linear
GLAMU752-3D (gloss wall)




75x200mm
GLAMU752 (gloss wall)

JAPAN CERAMICS






75x200mm Linear
GLATU752-3D (gloss wall)



75x200mm
GLATU752 (gloss wall)





75x200mm Linear
GLABN752-3D (gloss wall)




75x200mm
GLABN752 (gloss wall)

JAPAN CERAMICS

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
Water absorption	ISO 10545-3	⩽ 0.5%	< 0.5%	Full range
Determination of dimensions	ISO 10545-2	Length and width 0.6% Thickness 0.5% Edge straightness 0.5% Surface flatness 0.5%	Length and width ± 0.2% Thickness ± 5.00% Transmutation ± 0.8%	Full range
Breaking strength	ISO 10545-4	⩾ 1300 N	Complies with standards	Full range
Modulus of rupture	ISO 10545-4	⩾ 35 N/mm	Complies with standards	Full range
Chemical resistance	ISO 10545-13	Minimum UB	Complies with standards	Full range
Stain resistance	ISO 10545-14	Class 3 min.	Class 5	Full range
Origin	N/A	N/A	Italy	Full range
Shade variation	N/A	N/A	V2	Full range



JAPAN CERAMICS

Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
75 x 200	Gloss	56	66.67	18.18kg	63.84	76
75 x 200 - 3D	Gloss	52	66.67	21.28kg	46.80	60



The data and information contained in these specification sheets are indicative only unless stated otherwise. As Japan Ceramics cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

JAPAN CERAMICS