Grand Calcutta



JAPAN CERAMICS

26 Daisy Street
Revesby NSW 2212
P 02 9772 2088
E sales@japanceramics.com.au
japanceramics.com.au

GRAND CALCUTTA

COLOURS, FORMATS & FINISHES



White

Matt

450 x 450mm	●

Gloss

300 x 450mm	●

FINISH: **GLOSS** | CATEGORY: CERAMIC WALL TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2
FINISH: **MATT** | CATEGORY: GLAZED FLOOR TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2



White



300 x 300mm
GRANDCW301 (matt)

450 x 300mm
GRANDCW3451 (gloss wall)


450 x 450mm
GRANDCW451 (matt)



JAPAN CERAMICS

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
Water absorption	ISO 10545-3	⩽ 0.5%	⩽ 3%	All finishes
Determination of dimensions	ISO 10545-2	Length and width ± 0.5% Thickness ± 5.00% Edge straightness ± 0.5% Surface flatness ± 5%	Length and width 0.5% Thickness 5.0% Edge straightness 0.6% Surface flatness 0.5%	All finishes
Breaking strength	ISO 10545-4	⩾ 1300 N	2184 N	All finishes
Abrasion resistance	ISO 10545-6	Class 3 min	Complies with standards	All finishes
Slip resistance (wet pendulum test)	AS 4586 -2013	N/A	P2 – 300 x 300, 450 x 450 P3 – 600 x 600	Full range
Chemical resistance	ISO 10545-13	GB min.	Complies with standards	All finishes
Stain resistance	ISO 10545-14	Class 3 min.	Complies with standards	All finishes
Origin	N/A	N/A	Australia, China	Full range
Shade variation	N/A	N/A	V2	Full range



JAPAN CERAMICS

Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
300 x 450	Gloss	11	7.41	16.50kg	89.10	60
450 x 450	Matt	7	4.93	16.74kg	113.60	80



The data and information contained in these specification sheets are indicative only unless stated otherwise. As Japan Ceramics cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

JAPAN CERAMICS