# La Riviera



JAPAN CERAMICS

26 Daisy Street
Revesby NSW 2212
P 02 9772 2088
E sales@japanceramics.com.au
japanceramics.com.au


# LA RIVIERA

## COLOURS, FORMATS & FINISHES

| Gloss | Blanc | Gris Nuage | Wheat | Lavanda Blue | Rose |
|---|---|---|---|---|---|
| 65 x 200mm | ● | ● | ● | ● | ● |
| 132 z 132mm | ● | ● | ● | | ● |

FINISH: **GLOSS** | CATEGORY: CERAMIC WALL TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2








132 x 132mm
LARBLA132 (gloss wall)



65 x 200mm
LARBLA652 (gloss wall)






132 x 132mm
LARGR132 (gloss wall)



65 x 200mm
LARGR652 (gloss wall)

JAPAN CERAMICS






132 x 132mm
LARWHE132 (gloss wall)



65 x 200mm
LARWHE652 (gloss wall)






65 x 200mm
LARLAV652 (gloss wall)

JAPAN CERAMICS






132 x 132mm
LARROS132 (gloss wall)



65 x 200mm
LARROS652 (gloss wall)



JAPAN CERAMICS

# Technical Specifications

| Properties | Test Method | Required Value | Value | Applies to |
|---|---|---|---|---|
| Water absorption | ISO 10545-3 | ⩽ 0.5% | > 10% | Full range |
| Determination of dimensions | ISO 10545-2 | Length and width ± 0.75%<br>Thickness ± 5.00% | Length and width ± 0.5%<br>Thickness ± 10% | Full range |
| Breaking strength | ISO 10545-4 | ⩾ 1300 N | > 600N | Full range |
| Modulus of rupture | ISO 10545-4 | ⩾ 35 N/mm2 | ⩾ 12 N/mm2 | Full range |
| Abrasion resistance | ISO 10545-6 | Class 3 min | Class 3 | Full range |
| Chemical resistance | ISO 10545-13 | GB min. | GLA, GHB, GA | Full range |
| Stain resistance | ISO 10545-14 | Class 3 min. | Class 5 | Full range |
| Origin | N/A | N/A | Italy | Full range |
| Shade variation | N/A | N/A | V2 | Full range |



JAPAN CERAMICS

# Packing Information

| Tile Description | | Quantity per Box | Quantity per m2 | | Quantity per Pallet | |
|---|---|---|---|---|---|---|
| Size (mm) | Finish | Pieces | Pieces | Weight | m2 | Boxes |
| 132 x 132 | Gloss | 57 | 57.39 | 16.05kg | 59.59 | 60 |
| 65 x 200 | Gloss | 38 | 76.92 | 15.33kg | 59.28 | 120 |



*The data and information contained in these specification sheets are indicative only unless stated otherwise. As Japan Ceramics cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.*

JAPAN CERAMICS