

HIGHLIGHTING

the Icestone range




A new addition to our advanced tile technology Icestone replicates the look of natural marble without the ongoing maintenance. Available in a high gloss finish only with 3 colorways and sizes 300 x 300mm, 300 x 600mm, 600 x 600mm and 1200 x 600mm, Icestone is suitable for wall and floor applications in domestic situations only.




Moderate variation


Grey




600 x 600mm
ICSTGY60PN (polished)



300 x 600mm
ICSTGY36PN
(polished)



300 x 300mm
ICSTGY30PN
(polished)




Brick
298 x 348mm
actual coverage: 0.09sqm
ICSTGYBRK (polished)




Hex
318 x 326mm
actual coverage: 0.09sqm
ICSTGYHEX (polished)




Taupe




600 x 600mm
ICSTT60PN (polished)



300 x 600mm
ICSTT36PN
(polished)



300 x 300mm
ICSTT30PN
(polished)



Brick
298 x 348mm
actual coverage: 0.09sqm
ICSTTBRK (polished)



Hex
318 x 326mm
actual coverage: 0.09sqm
ICSTTHEX (polished)




White




600 x 1200mm
ICSTWH612PN (polished)




600 x 600mm
ICSTWH60PN (polished)



300 x 600mm
ICSTWH36PN
(polished)



300 x 300mm
ICSTWH30PN
(polished)




Brick
298 x 348mm
actual coverage: 0.09sqm
ICSTWHBRK (polished)



Hex
318 x 326mm
actual coverage: 0.09sqm
ICSTWHHEX (polished)



Grey



Taupe



White



| Item code | Product colour | Size | Category | Texture | Edge detail | PCS/CTN | CTN/PLT | SQM/PLT | KG/UOS | UOS | P Rating | V Rating |
|-------------|----------------|--------------------------------|-----------|----------|-------------|---------|---------|---------|--------|-----|----------|----------|
| ICSTGY30PN | Grey | 300 x 300 x 9.5mm | Porcelain | Polished | Rectified | 11 | 56 | 55.44 | 22.22 | SQM | N/A | N/A |
| ICSTGY36PN | Grey | 300 x 600 x 9.5mm | Porcelain | Polished | Rectified | 8 | 40 | 57.60 | 22.22 | SQM | N/A | V3 |
| ICSTGY60PN | Grey | 600 x 600 x 9.5mm | Porcelain | Polished | Rectified | 4 | 40 | 57.60 | 22.22 | SQM | N/A | V3 |
| ICSTGYBRK | Grey | Brick Mosaic 298 x 348 x 9.5mm | Porcelain | Polished | Rectified | 11 | 0 | 0.00 | 2.00 | SHT | N/A | N/A |
| ICSTGYHEX | Grey | Hex Mosaic 318 x 326 x 9.5mm | Porcelain | Polished | Rectified | 11 | 0 | 0.00 | 2.00 | SHT | N/A | N/A |
| ICSTT30PN | Taupe | 300 x 300 x 9.5mm | Porcelain | Polished | Rectified | 11 | 56 | 55.44 | 22.22 | SQM | N/A | N/A |
| ICSTT36PN | Taupe | 300 x 600 x 9.5mm | Porcelain | Polished | Rectified | 8 | 40 | 57.60 | 22.22 | SQM | N/A | V3 |
| ICSTT60PN | Taupe | 600 x 600 x 9.5mm | Porcelain | Polished | Rectified | 4 | 40 | 57.60 | 22.22 | SQM | N/A | V3 |
| ICSTTBRK | Taupe | Brick Mosaic 298 x 348 x 9.5mm | Porcelain | Polished | Rectified | 11 | 0 | 0.00 | 2.00 | SHT | N/A | N/A |
| ICSTTHEX | Taupe | Hex Mosaic 318 x 326 x 9.5mm | Porcelain | Polished | Rectified | 11 | 0 | 0.00 | 2.00 | SHT | N/A | N/A |
| ICSTWH30PN | White | 300 x 300 x 9.5mm | Porcelain | Polished | Rectified | 11 | 56 | 55.44 | 22.22 | SQM | N/A | N/A |
| ICSTWH36PN | White | 300 x 600 x 9.5mm | Porcelain | Polished | Rectified | 8 | 40 | 57.60 | 22.22 | SQM | N/A | V3 |
| ICSTWH60PN | White | 600 x 600 x 9.5mm | Porcelain | Polished | Rectified | 4 | 40 | 57.60 | 22.22 | SQM | N/A | V3 |
| ICSTWH612PN | White | 600 x 1200 x 10mm | Porcelain | Polished | Rectified | 2 | 29 | 41.76 | 23.95 | SQM | N/A | V3 |
| ICSTWHBRK | White | Brick Mosaic 298 x 348 x 9.5mm | Porcelain | Polished | Rectified | 11 | 0 | 0.00 | 2.00 | SHT | N/A | N/A |
| ICSTWHHEX | White | Hex Mosaic 318 x 326 x 9.5mm | Porcelain | Polished | Rectified | 11 | 0 | 0.00 | 2.00 | SHT | N/A | N/A |

NOTE: Colour variation is an inherent property of all kiln-fired products. Tiles supplied may vary from samples provided. All slip resistant ratings are provided subject to the guidelines outlined in our Terms & conditions of sale.